
OTTOMAN BED

DOUBLE ,KING AND SUPER KING

PLEASE READ this sheet prior to assembly to familiarise yourself with the various stages of construction. Carefully open the pack supplied and check the contents against the parts and fittings check list.


Do not destroy any of the packaging until you are certain that you have all the necessary parts for the assembly.

Please ensure that the packaging is disposed of in a safe environmentally friendly way.


CAUTION: There are small components used in the construction of this unit. These loose items should be kept away from young children during assembly, to avoid the danger of choking.


IMPORTANT: BEFORE STARTING TO ASSEMBLE THE BED - PLEASE READ THESE INSTRUCTIONS CAREFULLY.

DOUBLE AND KING SIZE



SUPER KING SIZE





Parts Checklist

Ref.	Description	Qty	Box	Ref.	Description	Qty	Box
1	Headboard	1	1	9	Gas-lift Mechanism -Left	1	3
2	Footboard	1	1	10	Gas-lift Mechanism -Right	1	3
3	Side rail -LH	1	2	11	Gas Lift Mechanism - Spacer	2	2
4	Side rail -RH	1	2	12	Gas-lift Piston	2	3
5	Metal Slat Frame Double/King	1	3	13	Fabric Lifting Strap	1	3
6	Slat Frame Cross Bar	1	3	14	Fabric Base Cover	1	3
7	Side Rail Cross Bar	1	3	15	Wood Corner For FB&SR -LH	1	1
8	Mattress Stopper	2	3	16	Wood Corner For FB&SR -RH	1	1
				17	Metal Slat Frame Super King	1	3

Fittings Checklist

HARDWARE NEEDED FOR BED ASSEMBLY (A)

Code	Description		Qty	Code	Description		Qty
A	Half Moon Washer		24	I	Bolt (M8*35mm)		8
B	Nuts for M8 bolts		30	J	Bolt (M8*45mm)		Double/King 7 Super King 8
C	Threaded stud (M8x80mm)		12	K	Allen Key for M8 Bolts		1
D	Flat Washer For M8 Bolts (M8*Ø14mm)		24	L	wooden dowel		6
E	Flat Washer For M8 Bolts (M8*Ø18mm)		Double/King 37 Super King 44	M	Support Bracket		Double/King 3 Super King 6
F	Spanner for M8 Nuts		2	N	Flanged Lock-Nut M8		4
G	Spring Washer For M8 Bolts		Double/King 55 Super King 62	O	Support Block For Side Rail Cross Bar		Double/King 1 Super King 2
H	Bolt (M8*18mm)		Double/King 16 Super King 22	P	Metal Connection Plates For Slat Frame		2

Care & Maintenance

In the unlikely event of missing or damaged parts, please contact your retailer. Please have this guide at hand quoting the part code reference numbers shown when requesting spare or replacement parts.

General Hints & Tips



Please retain your assembly instruction and tools provided for future use.
Periodically check that all bolts are still tight.



Approximate time to assemble this product


Warnings

- NOTE:** Before moving the slat frame, place the mattress on the slats. Without a mattress in place, the speed of movement is quick and may cause injury so great care is needed.
Carefully lower the frame with the fabric hand-strap ensuring the frame sides are aligned with the side rails; there should be an even gap on each side.
If not aligned, check bed is still square and if it is, but gaps are still not even, re-align.
Depending on the weight of the mattress, the rising speed will vary so be careful until you get used to the speed.
- Always use the hand-strap to lift or lower the frame - keep fingers well away from the moving parts.**
When fully assembled and the mattress in position, please raise & lower the ottoman 4/5 times to ensure the gas pistons are fully lubricated

Warnings

- You must ensure that the mattress is on the bed frame before operating the lift mechanism. Failure to do so could result in injury.
- Keep hands clear of the mechanism when opening or closing the ottoman.
- Beware of entrapment – Never reach in through the mechanism to access the storage area.
- Always be sure that the ottoman is FULLY opened before accessing the storage area.
- Do not exceed the maximum weight as specified in the table below:

Bed	Bed Size	Min Weight (kg)	Max Weight (kg)
OTTOMAN BED	Double	20	50
	King	20	50
	Super King	20	50



Don't lift without mattress




Ensure mattress is on before lifting

- Use caution when operating, always use the handle when lifting.
- Note: This bed uses a pressurised mechanism.
- To be operated by adults only
- Please ensure that children and pets are kept away from the bed when operating the lift mechanism.
- Keep children and pets away from the storage area.
- Do not overload the internal storage base.
- Do not stand inside the internal storage area of the bed.
- Before removing the mattress secure the frame to ensure it does not open unexpectedly.
- Do not attempt to lie on the mattress when the ottoman is in the raised position.
- When lifting the ottoman remove all bedding except the fitted sheet.

Stage 1

1


A  x12 B  x12 C  x12 D  x12
F  x1 G  x12



Stage 2


2

A  x4 B  x4 D  x4 G  x4
F  x1 L  x2




Stage
3

A  x8 B  x8 D  x8
F  x1 G  x8 L  x4



Stage
4


E  x8 G  x8 I  x8 K  x1



Stage
5a

- Ex6
- Gx6
- Hx6
- Kx1
- Mx3


Double/King



Stage
5b

- Ex12
- Gx12
- Hx12
- Kx1
- Mx6


Super King



Stage
6a

- | | | | | | | | | |
|---|--|----|---|---|----|---|---|----|
| E |  | x5 | G |  | x5 | H |  | x4 |
| J |  | x1 | K |  | x1 | O |  | x1 |


Double/King




Stage
6b

- | | | | | | | | | |
|---|--|----|---|---|----|---|---|----|
| E |  | x6 | G |  | x6 | H |  | x4 |
| J |  | x2 | K |  | x1 | O |  | x2 |

Super King




Double/King







- i. Fitting position for cross Bar (6) is clearly labeled. Pass bar through metal slat frame (5) between first & second slat. Carefully open the frame.


- iii. Using four sets of bolts (H), spring washer (G) & flat washers (E) fit the metal connection plates (P) Using Allen key (K), tighten all six bolts 100%.



- ii. Ease the plates on top of the cross bar (6) onto top of the slat frame sides and through the plates, loosely screw two sets of bolts (H), spring washers(G)& flat washers (E) into the threaded inserts. Do not tighten yet.




Super King





Stage 8

F  x1 N  x2






Slide gas-lift piston stem(x) onto the axle (y) then fit the flange lock-nut (N). Tighten nut with spanner -do not over-tighten

A small gap must be left so stem can move freely -this is important, see sketch below.



Stage 9




B  x6 E  x12 F  x1
G  x6 J  x6 K  x1



Loosely fit three bolt sets on each side (J, E, E , G &B), carefully hold frame down and align so there even gaps at each side,then tighten all bolts100%.

Slide gas-lift piston stem(x) onto the axle (y) then fit the flange lock-nut (N). Tighten nut with spanner -do not over-tighten

A small gap must be left so stem can move freely -this is important, see sketch below.






- **Adult Operation Only:** Not recommend for use by under 12 years old. Please note ease of operation is dependent on height and strength of user.
- **Avoid Entrapment:** Always lift the bed with the mattress in place, using the handle to lift and lower the base, keeping clear of the mechanism.



- **Fully Open Ottoman:** Ensure the ottoman is fully open before accessing the storage area.
- **Avoid Hinge Area:** Do not reach into the storage area through the hinge mechanism.
- **Keep Children and Pets Away:** Ensure children and pets stay away from the storage area. Do not stand inside the internal storage area of the bed.
- **Maintenance:** Regularly inspect your bed to ensure it is functioning correctly.

Note: Be very careful what you store under the bed - the top of an item, like a suitcase or a box, must not touch the slats or they may be damaged.

Maximum storage height is 235mm.



Overall Dimensions (LWH mm)

Overall Dimensions (LWH mm)

Double: 2000 x 1450 x 1060

King: 2100 x 1600 x 1060

Super King: 2100 x 1900 x 1060

Storage Dimensions (LWH mm)

Double: 1930 x 1380 x 235

King: 2030 x 1530 x 235

Super King: 2030 x 1830 x 235

Ottoman Piston Strength

Double&King: 750N

Super King: 900N

Distance between slats (mm)

65

Slat Dimensions (LWH mm)

Double: 670 x 53 x 9

King: 745 x 53 x 9

Super King: 598 x 53 x 9

