

Instructions by Time4Sleep Products

Chateaux Wooden Bed Frame

Assembly instructions for Chateaux Wooden Bed Frame by Time4Sleep



Product Information

Chateaux Wooden Bed Frame


Description

Inspired by classic French Farmhouse style design the Chateaux bed finished in white white is a versatile design that will work equally well in a traditional or contemporary design.

The bed has a sprung slatted base for extra comfort and support.

One of the best value beds on the market today, this bed represents outstanding value at these special introductory price.

The underbed clearance on this bed frame is 19cm approx.



Product specifications

	Double	King Size
Width	148 cm	164 cm
Length	201 cm	213 cm
Head End Height	107 cm	112 cm
Foot End Height	62 cm	62 cm



SKU

Chat46White, Chat50White, Chat46Black,
Chat50Black

Before you start

- Read Instructions carefully.
- Carefully identify each component especially those that are similar.
- Separate and identify each component from the hardware pack and rest each one in its proper location before fastening.
- Do not over tighten the screws o bolts when assembling.
- Two people required to assemble

CAUTION: KEEP ALL HARDWARE PARTS OUT OF REACH OF CHILDREN

Please follow our assembly instruction procedure for easier assemble.

Tools

JCBB Bolt (M8 x 25mm)

12



C - JCBB Bolt (M6 x 30mm)

2



E - JCBB Bolt (M8 x 40mm)(Assembled)

3



G - Double End Plastic Cap Wooden Slats
(12 for Double, 14 for King)

12



I - M4 Allen key

1



B - JCBB Bolt (M6 x 15mm)

8



D - JCBB Bolt (M8 x 30mm)

4



F - Minifix

4



H - Single End Plastic Cap (24 for Double,
28 for King)

24



J - M5 Allen key

1



Parts

1 - Headboard

1 piece(s)



2 - Headboard Leg (L/R)

2 piece(s)



3 - Footboard

1 piece(s)

**4 - Side Rail**

2 piece(s)

**5 - Center Rail**

1 piece(s)

**6 - Cross Bar**

2 piece(s)

**7 - Wooden Slat (24 for Double, 28 for King)**


24 piece(s)

**8 - Support Leg**


3 piece(s)

**Steps (7)****1. Attach Bottom Headboard Legs**

Fix head bottom leg left & right to the head board top with minifix 'F' as shown .

**2. Secure Headboard and Legs**

Fix bolts 'D' to the headboard top and head bottom leg as shown.




3. Attach Side Rails

Fix bolts 'A' (upper & lower bolts) into position on wood leg as show.


After that hook the side rail to the bolt and fix center bolts 'A' as shown.

Important note: Do not tighten the bolts yet!




4. Attach Cross Bar

Fix cross bar '6' to the side rail with bolts 'B' as shown.




5. Attach Center Bar

Fix center bar '5' to cross bar '6' with bolts 'C' as shown.



6. Attach Bed Supports

Fix bed support legs as shown and tighten all bolts.




7. Attach the Slats

Each wood slat must be inserted with a single end plastic cap and a double end plastic cap as shown on the picture.

Once both wood slats have been inserted with the plastic caps, fix it on the wood side rails and center bar by pressing it accordingly to the default holes. Ensure the plastic cap's pin is aimed to the hole.

At last make sure all screws and bolts are tighten.



Need Help? Call 01484 500 560 or email hello@time4sleep.co.uk - please include your order number if you have one!

