
PARTS LIST




HARDWARE LIST

1 JCBC M6 X 40mm(2 PCS)	Small Adjuster 35mm (2 PCS)	3 ALLEN KEY M4 X 65mm (1 PC)	ALLEN KEY M5 X 70mm (1 PC)	5 CSK M3.5 x 16mm (56 PCS)
				& 111112
6 CSK M4 x 28mm (8 PCS)	7 CSK M4 x 32mm (42 PCS)	8 CSK M4 x 50mm (28 PCS)	9 ROLLER (14 PCS)	10 WOOD DOWEL 20MM (8 PCS)
(<u>)</u>	<u>⊗:11111111></u>	<u> </u>		
Middle Holder (13 PCS)	End Holder (26 PCS)	13 Power Nail 6/8 (24 PCS)	14) JCBC M6 X 50mm(4 PCS)	Spring Washers (4 PCS)
Q Q	₩ W			
16 Flat Washers (4 PCS)	Metal Stopper (6 PCS)			


ASSEMBLY INSTRUCTIONS

CF 8950-L 4'6"


Step 1 : Tighten the side wing (R) to headboard (A) as shown.




Step 2 : Tighten the legs (G) to both footboard (B) as shown.




Step 3: Attach wood dowel (10) to side rail (C). Tighten the side rail support (F) to the side rail (C) with screws (6) using screw driver (not included).







Step 4: Attach side rail (C) to headboard (A) and footboard (B) by pushing the bracket down to fit it.




Step 5: Attach the support legs (E) to the center rail (D) of the bed as shown. Slide the center rail (D) to the




Step 6: Tighten the footboard side panel (J) to the footboard front panel (H) and footboard back panel (I) with screws (8) using screw driver (not included).




Step 7: Slide the footboard bottom panel (K) to the set up drawer.




Step 8: Tighten the bottom panel support (O & P) with screws (7) using screw Step 9: Tighten the roller (9) with screws (5) using screw driver driver (not included). Attach the bottom panel with Nail (13) using the hammer (not included).




(not included).



Step 10: Tighten the side rail side panel (J) to the side rail front panel (L) and side rail back panel (M) with screws (8) using screw driver (not included).



Step 12 : Tighten the bottom panel support (O & P) with screws (7) using screw driver (not included).




Step 13 : Tighten the roller (9) with screws (5) using screw driver (not included).

x16

Marking at

the Wooden!

Back view



Important Information

Please note that the recommended process for adjusting centre legs when assembling your bed.

Before placing the mattress on the base, please ensure that the <u>SUPPORT LEGS</u> <u>ARE NOT QUITE TOUCHING THE FLOOR</u>. When the bed is then in use the support legs will sit firmly on the solid surface.

PLEASE ENSURE THAT THE LEGS ARE VERTICAL.

DUE TO THE NATURE OF LAMINATE / WOODEN FLOORING WE RECOMMEND THAT YOU PLACE A SMALL PIECE OF NON SLIP MATERIAL UNDER THE LEGS WHICH WILL GIVE YOU THE FLEXIBILITY THE ADJUSTERS NEED.

When moving the bed it is essential that it is <u>LIFTED</u> into the new position. <u>NEVER DRAG</u> the bed as this will move the legs from the vertical position thus weakening the support of the centre rail.

Adhering to the recommended process should ensure that your bed gives you years of trouble free service.