
PARTS LIST




HARDWARE LIST


1 JCBC M6 X 40mm(2 PCS)	2 Adjuster 35mm (2 PCS)	3 ALLEN KEY M4 X 65mm (1 PC)	ALLEN KEY M4 X 70mm (1 PC)	5 CSK M3.5 x 16mm (56 PCS)
				Ø_11111>
6 CSK M4 x 25mm (8 PCS)	7 CSK M4 x 32mm (36 PCS)	8 CSK M4 x 50mm (32 PCS)	9 ROLLER (14 PCS)	10 WOOD DOWEL 20MM (8 PCS)
<u> </u>	Ø:1111111112>	<u> </u>		
Middle Holder (13 PCS)	End Holder (26 PCS)	Power Nail 6/8 (24 PCS)	JCBC M6 X 50mm(4 PCS)	Spring Washers (4 PCS)
g g	₩ Ø			
Flat Washers (4 PCS)	Metal Stopper (6 PCS)			


ASSEMBLY INSTRUCTIONS

CF 8949-C 4'6"




Step 2 : Attach wood dowel (10) to side rail (C). Tighten the side rail support (F) to the side rail (C) with screws (6) using screw driver (not included).







Step 4: Attach the support legs (E) to the center rail (D) of the bed as shown. Slide the center rail (D) to the




Step 5: Tighten the footboard side panel (J) to the footboard front panel (H) and footboard back panel (I) with screws (8) using screw driver (not included).




Step 6: Slide the footboard bottom panel (K) to the set up drawer.



Step 7: Tighten the bottom panel support (O & P) with screws (7) using screw driver (not included). Attach the bottom panel with Nail (11) using the hammer (not included).



Step 8: Tighten the roller (9) with screws (5) using screw driver (not included).



Step 9: Tighten the side rail side panel (J) to the side rail front panel (L) and side rail back panel (M) with screws (8) using screw driver (not included).

